

LAVATORY FITTINGS









CENTRAL BRASS MFG CO.
2950 East 55th Street, Cleveland, Ohio 44127

C
E
N
T
R
A
L

B
R
A
S
S

M
F
G

C
O

	Catalog No.	Description	Std. Order Qty	
	CENTERSET 1137-A	Cast Brass Centerset on 4-inch centers with 2.2 GPM aerator. Replaceable seats.	12	
	1137-DA	Same as above but with pop-up drain (17 gauge tailpiece).	12	
	Suffix No.	X	Brass handles (1143) color-coded indexes & brass locknuts	
		70	Acrylic Handles (K-506-1)	
		80	Silver Crown Acrylic handles. (K-504-1)	
		M	Monel Seats (263-BM)	
	CENTERSET 1137-AEL	Cast Brass Centerset on 4-inch centers with 6-inch brass elbow handles (4149) color-coded indexes and 2.2 GPM aerator. Replaceable seats. 	12	
	1137-AELS	Same as above but with 4-inch brass wrist handles (4147) color-coded indexes. 	12	
	1137-DAEL	Same as 1137-AEL except with pop-up drain (17 gauge tailpiece). 	12	
	1137-DAELS	Same as above but with 4-inch brass wrist handles (4147) color-coded indexes. 	12	
	Suffix No.	M	Monel Seats (263-BM)	
		Q	Quick-Pression Quarter-Turn Stems (SU-354)	
	CENTERSET 1138-A	Cast Brass Centerset on 4-inch centers with chain & stopper and 2.2 GPM aerator. Replaceable Seats.	12	
	CENTERSET 1133-A	Cast Brass Centerset on 4-inch centers with 4 5/8-inch extended spout and 2.2 GPM aerator. Replaceable seats.	6	
	1133-DA	Same as above with pop-up drain (17 gauge tailpiece).	6	

Phone: 216-883-0220 Fax: 216-883-0875 Email: sales @centralbrass.com

LAVATORY FITTINGS






CENTRAL BRASS MFG CO.
2950 East 55th Street, Cleveland, Ohio 44127

C
E
N
T
R
A
L

B
R
A
S
S

M
F
G

C
O

	Catalog No.	Description	Std. Order Qty
	1147-A	Shell Centerset with Cast Brass Underbody on 4-inch centers and 2.2 GPM aerator. Replaceable seats.	12
	1147-DA	Same as above but with pop-up drain (17 gauge tailpiece).	12
	1167-AV	Self-Closing Cast Brass Centerset on 4-inch centers (Vandal-Resistant) with 2.2 GPM aerator. Replaceable seats.	1
	1167-DAV	Same as above with pop-up drain (17 gauge tailpiece).	1
	3137-A	Slow-Close Cast Brass Centerset on 4-inch centers with 2.2 GPM aerator.	1
	3137-AV	Same as above but with vandal-resistant 0.5 GPM flow restrictor.	1
	3137-DA	Same as 3137-A but with pop-up drain (17 gauge tailpiece).	1
	3137-DAV	Same as above but with vandal-resistant 0.5 GPM flow restrictor.	1
	1177-A	Shelf Back with Cast Brass Bodies, adjustable centers from 4-inches to 6-inches and 2.2 GPM aerator. Replaceable seats.	6
	1177-DA	Same as above with pop-up drain (17 gauge tailpiece).	6
	1178-A	45° Slant Back with Cast Brass Bodies, adjustable centers from 4-inches to 6-inches and 2.2 GPM aerator. Replaceable seats.	1
	1178-DA	Same as above with pop-up drain (17 gauge tailpiece).	1

Phone: 216-883-0220 Fax: 216-883-0875 Email: sales @centralbrass.com

LAVATORY FITTINGS









CENTRAL BRASS MFG CO.
2950 East 55th Street, Cleveland, Ohio 44127

C
E
N
T
R
A
L

B
R
A
S
S

M
F
G

C
O

	Catalog No.	Description	Std. Order Qty	
 <p>WIDESPREAD</p>	1125-A	Widespread with Cast Brass Bodies, flexible hose connections adjustable from 6-inches to 24-inches and 2.2 GPM aerator. Replaceable seats.	1	
	1125-DA	Same as above with pop-up drain (17 gauge tailpiece).	1	
	Suffix No.	70	Acrylic Handles (K-506-1)	
		80	Silver Crown Acrylic Handles (K-504-1)	
 <p>DELUXE WIDESPREAD</p>	1179-DA80	Deluxe Widespread with cast brass bodies, Silver Crown acrylic handles, flexible hose connections adjustable from 6-inches to 24-inches, 2.2 GPM aerator and pop-up drain (17 gauge tailpiece). Replaceable seats. Overall spout length 7 1/8-inches.	1	
 <p>WIDESPREAD</p>	1172-11AEL-Q	Widespread with Cast Brass Bodies flexible hose connections adjustable from 6-inches to 24-inches, 6-inch brass elbow handles (4149) color-coded indexes, 2.2 GPM aerator and Quick-Pression quarter-turn stems. 	1	
	1172-11AELS-Q	Same as above but with 4-inch brass wrist handles (4147) color-coded indexes. 	1	
	1172-D11AEL-Q	Same as 1172-11AEL-Q but with pop-up drain. (17 gauge tailpiece). 	1	
	1172-D11AELS-Q	Same as 1172-11AELS-Q but with pop-up drain (17 gauge tailpiece). 	1	
 <p>SLOW CLOSE WIDESPREAD</p>	3127-A	Slow-Close Widespread with Cast Brass Bodies, flexible hose connections, adjustable from 6-inches to 24-inches and 2.2 GPM aerator. No lift rod hole.	1	
	3127-AV	Same as above but with vandal-resistant 0.5 GPM flow restrictor. No lift rod hole.	1	
	3127-DA	Slow-Close Widespread with Cast Brass Bodies, flexible hose connections, adjustable from 6-inches to 24-inches, 2.2 GPM aerator and pop-up drain (17 gauge tailpiece).	1	
	3127-DAV	Same as above but with vandal-resistant 0.5 GPM flow restrictor.	1	

Phone: 216-883-0220 Fax: 216-883-0875 Email: sales @centralbrass.com

LAVATORY FITTINGS








CENTRAL BRASS MFG CO.
2950 East 55th Street, Cleveland, Ohio 44127

C
E
N
T
R
A
L

B
R
A
S
S

M
F
G

C
O

	Catalog No.	Description	Std. Order Qty	
 <p>BASIN FAUCET</p>	0239	Cast Brass Single Basin Faucet 1/2 - 14 NPS male shank x 2 1/4-inches long -- polished chrome finish. Replaceable seat. (Specify Hot, Cold or Plain).	6	
	0239-A	Same as above but with a 2.2 GPM aerator. (Specify Hot, Cold or Plain).	6	
	Suffix No.	M	Monel Seat	
		X	Brass Handle & Screw (3173) (Specify Hot, Cold or Plain) and brass locknut.	
 <p>BASIN FAUCET</p>	0255	Self-Closing Cast Brass Single Basin Faucet, 1/2 - 14 NPS male shank x 2 1/4-inches long, polished chrome finish. Replaceable seat. (Specify Hot, Cold or Plain).	6	
	0255-A	Same as above but with a 2.2 GPM aerator.	6	
	Suffix No.	V	Vandal-Resistant Handle	
 <p>SLOW CLOSE</p>	0355-A	Slow-Close Single Basin Faucet 1/2-14 NPS male shank x 2 1/4-inches long with 2.2 GPM aerator. (Specify Hot, Cold or Plain).	1	
	0355-AV	Same as above but with vandal-resistant 0.5 GPM flow restrictor. (Specify Hot, Cold or Plain).	1	
 <p>DELUXE SLOW CLOSE</p>	0356-A	Deluxe Slow-Close Single Basin Faucet 1/2 - 14 NPS male shank x 2 1/4-inches long with 2.2 GPM flow restrictor. (Specify Hot, Cold or Plain).	1	
	0356-AV	Same as above but with vandal-resistant 0.5 GPM flow restrictor (Specify Hot, Cold or Plain).	1	
	Accessories	U-5020	Temperature Mixing Valve (U-5020)	1
 <p>POP-UP DRAIN</p>	1105	Pop-up Drain with guide and upper and lower pull rods (17 gauge tailpiece).	12	
	1105-LG	Same as above less guide.	12	
	1105-BP	Pop-up Drain with blind plug, guide and upper and lower pull rods (17 gauge tailpiece).	12	
	1105-BPLG	Same as above less guide.	12	
 <p>GRID DRAIN</p>	3105	Vandal-Resistant Grid Drain (17 gauge tailpiece).	6	
	3105-BP	Vandal-Resistant Grid Drain with blind plug (17 gauge tailpiece).	6	
 <p>OFFSET GRID DRAIN</p>	3106	Vandal-Resistant Grid Drain with offset for wheelchair access (17 gauge tailpiece).	6	

Phone: 216-883-0220 Fax: 216-883-0875 Email: sales @centralbrass.com