















KITCHEN FAUCETS

		Model#	Description	Finish	Price	Case
		0120-A	Cast Brass Topmount 8-Inch Centers 8-Inch Tube Spout With 2.0 GPM Flow Rate Replaceable Seats	PVD Polished Chrome	\$104.50	6
		0121-A	Cast Brass Topmount 8-Inch Centers 8-Inch Tube Spout With 2.0 GPM Flow Rate Replaceable Seats With Side Spray Assembly	PVD Polished Chrome	\$130.50	6
Suffix #		2	10-Inch Tube Spout with Aerator (SU-363-JA)		\$10.50	
		3	12-Inch Tube Spout with Aerator (SU-363-LA)		\$11.50	
		4	14-Inch Tube Spout with Aerator (SU-363-MA)		\$12.00	
		ELS	4-Inch Wrist Handles (4147) Color-coded Indexes		\$20.00	
		EL	6-Inch Elbow Handles (4149) Color-coded Indexes		\$25.00	
		Q	Quick-Pression Quarter-Turn Stems (SU-454)		\$1.50	
		0122-A	Cast Brass Topmount 8-Inch Centers	PVD Polished Chrome	\$143.00	6
		80122-A*	8-Inch Brass D-Spout With 2.0 GPM Flow Rate Replaceable Seats *Ceramic Disc Cartridges	PVD Polished Chrome	\$153.00	6
		0123-A	Cast Brass Topmount 8-Inch Centers	PVD Polished Chrome	\$169.00	6
		80123-A*	8-Inch Brass D-Spout With 2.0 GPM Flow Rate Replaceable Seats With Side Spray Assembly *Ceramic Disc Cartridges	PVD Polished Chrome	\$179.00	6
Suffix #		8	7-1/4-Inch High-Rise Spout with Aerator (SU-357-HSA)		\$41.75	
		07	8-3/4-Inch High-Rise Swivel Gooseneck Spout with Aerator (SU-357-WSA)		\$31.20	
		GRA	4-3/32-Inch Rigid Gooseneck Spout with Aerator (SU-157-GRA)		\$10.00	
		GSA	4-3/32-Inch Swivel Gooseneck Spout with Aerator (SU-157-GSA)		\$10.00	
		KRA	5-1/2-Inch Rigid Gooseneck Spout with Aerator (SU-157-KRA)		\$33.50	
		KSA	5-1/2-Inch Swivel Gooseneck Spout with Aerator (SU-157-KSA)		\$34.00	
		ELS	4-Inch Wrist Handles (4147) Color-coded Indexes		\$20.00	
		EL	6-Inch Elbow Handles (4149) Color-coded Indexes		\$25.00	
		Q	Quick-Pression Quarter-Turn Stems (SU-454)		\$1.50	
		TSA1	6-3/8-Inch Swivel Tri-Arc Gooseneck Spout with Aerator (CS-22001)		\$28.00	
		L2	Lever Handles-Indexes (CS-19002C,H)		\$52.00	
		C2	Cross Handles-Indexes (CS-19004C,H)		\$62.50	
		E1.5	1.5 GPM Flow Rate (CS-49013-Male Aerator/CS-49014-Female Aerator)		\$3.50	
		E1.0	1.0 GPM Flow Rate (CS-49011-Male Aerator/CS-49012-Female Aerator)		\$4.00	
		E0.5	0.5 GPM Flow Rate (CS-49009-Male Aerator/CS-49010-Female Aerator)		\$8.50	

















Central Brass faucets feature aerators that meet ANSI/ASME A112.18.1 flow requirements of 2.0 GPM

KITCHEN FAUCETS

	Model#	Description	Finish	Price	Case
	0122-GSAEL	Cast Brass Topmount Kitchen Faucet 8-Inch Centers Swivel Gooseneck Spout With 2.0 GPM Flow Rate 6-Inch Elbow Handles (4149) Color Coded indexes Replaceable Seats	PVD Polished Chrome	\$178.00	6
	0122-GSAELS	Cast Brass Topmount Kitchen Faucet 8-Inch Centers	PVD Polished Chrome	\$173.00	6
	80122-GSAELS*	Swivel Gooseneck Spout With 2.0 GPM Flow Rate 4-Inch Wrist Handles (4147) Color Coded indexes Replaceable Seats *Ceramic Disc Cartridges	PVD Polished Chrome	\$183.00	6
	80122-GRAELS	Cast Brass Topmount Kitchen Faucet 8-Inch Centers Rigid Gooseneck Spout With 2.0 GPM Flow Rate 4-Inch Wrist Handles (4147) Color Coded indexes Ceramic Disc Cartridges	PVD Polished Chrome	\$183.00	6
	80122-TSA1L2	Cast Brass Topmount Kitchen Faucet 8-Inch Centers Cast Brass Body 6-3/8-Inch Swivel Tri-Arc Spout With 2.0 GPM Flow Rate Lever Handles Ceramic Disc Cartridges	PVD Polished Chrome	\$233.00	6
	80123-TSA1L2	Cast Brass Topmount Kitchen Faucet 8-Inch Centers Cast Brass Body 6-3/8-Inch Swivel Tri-Arc Spout With 2.0 GPM Flow Rate Lever Handles With Side Spray Assembly Ceramic Disc Cartridges	PVD Polished Chrome	\$259.00	6
	80122-TSA1C2	Cast Brass Topmount Kitchen Faucet 8-Inch Centers Cast Brass Body 6-3/8-Inch Swivel Tri-Arc Spout With 2.0 GPM Flow Rate Cross Handles Ceramic Disc Cartridges	PVD Polished Chrome	\$243.50	6
	80123-TSA1C2	Cast Brass Topmount Kitchen Faucet 8-Inch Centers Cast Brass Body 6-3/8-Inch Swivel Tri-Arc Spout With 2.0 GPM Flow Rate Cross Handles With Side Spray Assembly Ceramic Disc Cartridges	PVD Polished Chrome	\$269.50	6

KITCHEN FAUCETS









KITCHEN FAUCETS

		Model#	Description	Finish	Price	Case
		0125-A	Cast Brass Topmount Kitchen Faucet 6-Inch Centers 8-Inch Brass Tube Spout With 2.0 GPM Flow Rate Replaceable Seats	PVD Polished Chrome	\$125.00	6
		0126-A	Cast Brass Topmount Kitchen Faucet 6-Inch Centers 8-Inch Brass Tube Spout With 2.0 GPM Flow Rate Replaceable Seats With Side Spray Assembly	PVD Polished Chrome	\$151.00	6
		0146-A	Shell Topmount Kitchen Faucet Cast Brass Underbody 8-Inch Centers 8-Inch Tube Spout With 2.0 GPM Flow Rate Replaceable Seats	PVD Polished Chrome	\$112.00	6
		0147-A	Shell Topmount Kitchen Faucet Cast Brass Underbody 8-Inch Centers 8-Inch Tube Spout With 2.0 GPM Flow Rate Replaceable Seats With Side Spray Assembly	PVD Polished Chrome	\$138.00	6
Suffix #		2	10-Inch Tube Spout with Aerator (SU-363-JA)		\$10.50	
		3	12-Inch Tube Spout with Aerator (SU-363-LA)		\$11.50	
		4	14-Inch Tube Spout with Aerator (SU-363-MA)		\$12.00	
		0127-A	Cast Brass Topmount Kitchen Faucet 6-Inch Centers 8-Inch Brass D-Spout With 2.0 GPM Flow Rate Replaceable Seats	PVD Polished Chrome	\$142.00	6
		0128-A	Cast Brass Topmount Kitchen Faucet 6-Inch Centers 8-Inch Brass D-Spout With 2.0 GPM Flow Rate Replaceable Seats With Side Spray Assembly	PVD Polished Chrome	\$168.00	6
		0148-A	Shell Topmount Kitchen Faucet Cast Brass Underbody 8-Inch Centers 8-Inch Brass D-Spout With 2.0 GPM Flow Rate Replaceable Seats	PVD Polished Chrome	\$132.00	6
		0149-A	Shell Topmount Kitchen Faucet Cast Brass Underbody 8-Inch Centers 8-Inch Brass D-Spout With 2.0 GPM Flow Rate Replaceable Seats With Side Spray Assembly	PVD Polished Chrome	\$158.00	6
Suffix #		8	7-1/4-Inch High-Rise Spout with Aerator (SU-357-HSA)		\$41.75	

Applicable Products Meet California AB1953 / Vermont S152 Legislation
Central Brass faucets feature aerators that meet ANSI/ASME A112.18.1 flow requirements of 2.0 GPM









KITCHEN FAUCETS

KITCHEN FAUCETS







		Model#	Description	Finish	Price	Case
		0072-A-Q	Concealed Ledge Kitchen Faucet 8-Inch Centers 8-Inch Brass D-Spout With 2.0 GPM Flow Rate 1/2-14 NPS Female Threads on Inlets Quick-Pression Quarter-Turn Stems Replaceable Seats Note: Mounting Thickness Cannot Exceed 1/8"	PVD Polished Chrome	\$125.00	6
		0073-A-Q	Concealed Ledge Kitchen Faucet 8-Inch Centers 8-Inch D-Spout With 2.0 GPM Flow Rate 1/2-14 NPS Female Threads on Inlets Quick-Pression Quarter-Turn Stems Replaceable Seats With Side Spray Assembly Note: Mounting Thickness Cannot Exceed 1/8"	PVD Polished Chrome	\$148.00	6
		1172-A-Q	Concealed Ledge Kitchen Faucet Flexible Hose Connections 6 to 24-Inches 8-Inch Brass D-Spout With 2.0 GPM Flow Rate 1/2-14 NPS Male Threads on Inlets Quick-Pression Quarter-Turn Stems Replaceable Seats Note: Mounting Thickness Cannot Exceed 1-3/8"	PVD Polished Chrome	\$147.50	6
		1173-A-Q	Concealed Ledge Kitchen Faucet Flexible Hose Connections 6 to 24-Inches 8-Inch Brass D-Spout With 2.0 GPM Flow Rate 1/2-14 NPS Male Threads on Inlets Quick-Pression Quarter-Turn Stems Replaceable Seats With Side Spray Assembly Note: Mounting Thickness Cannot Exceed 1-3/8"	PVD Polished Chrome	\$194.00	6
Suffix #		8	7-1/4-Inch High-Rise Spout with Aerator (SU-357-HSA)		\$41.75	
		07	8-3/4-Inch High-Rise Swivel Gooseneck Spout with Aerator (SU-357-WSA)		\$31.20	
		GRA	4-3/32-Inch Rigid Gooseneck Spout with Aerator (SU-157-GRA)		\$10.00	
		GSA	4-3/32-Inch Swivel Gooseneck Spout with Aerator (SU-157-GSA)		\$10.00	
		KRA	5-1/2-Inch Rigid Gooseneck Spout with Aerator (SU-157-KRA)		\$33.50	
		KSA	5-1/2-Inch Swivel Gooseneck Spout with Aerator (SU-157-KSA)		\$34.00	
		ELS	4-Inch Wrist Handles (4147) Color-coded Indexes		\$20.00	
		EL	6-Inch Elbow Handles (4149) Color-coded Indexes		\$25.00	
		TSA1	6-3/8-Inch Swivel Tri-Arc Gooseneck Spout with Aerator (CS-22001)		\$28.00	
		L1	Widespread Lever Handles-Indexes (CS-19001C,H)		\$57.50	
		C1	Widespread Cross Handles-Indexes (CS-19003C,H)		\$67.50	
		E1.5	1.5 GPM Flow Rate (CS-49013-Male Aerator/CS-49014-Female Aerator)		\$3.50	
		E1.0	1.0 GPM Flow Rate (CS-49011-Male Aerator/CS-49012-Female Aerator)		\$4.00	
		E0.5	0.5 GPM Flow Rate (CS-49009-Male Aerator/CS-49010-Female Aerator)		\$8.50	

Applicable Products Meet California AB1953 / Vermont S152 Legislation
Central Brass faucets feature aerators that meet ANSI/ASME A112.18.1 flow requirements of 2.0 GPM

KITCHEN FAUCETS

		Model#	Description	Finish	Price	Case
		0072-GSAEL-Q	Cast Brass Concealed Ledge Kitchen Faucet 8-Inch Centers 1/2-14 NPS Female Threads Swivel Gooseneck Spout With 2.0 GPM Flow Rate 6-Inch Elbow Handles (4149) Color-coded Indexes Quick-Pression Quarter-Turn Stems Replaceable Seats Note: Mounting Thickness Cannot Exceed 1/8"	PVD Polished Chrome	\$160.00	6
		0072-GSAELS-Q	Cast Brass Concealed Ledge Kitchen Faucet 8-Inch Centers 1/2-14 NPS Female Threads Swivel Gooseneck Spout With 2.0 GPM Flow Rate 4-Inch Wrist Handles (4147) Color Coded Indexes Quick-Pression Quarter-Turn Stems Replaceable Seats Note: Mounting Thickness Cannot Exceed 1/8"	PVD Polished Chrome	\$155.00	6
		1172-GSAEL-Q	Cast Brass Concealed Widespread Kitchen Faucet Flexible Hose Connections 6 to 24-Inches 1/2-14 NPS Female Threads Swivel Gooseneck Spout With 2.0 GPM Flow Rate 6-Inch Elbow Handles (4149) Color Coded Indexes Quick-Pression Quarter-Turn Stems Replaceable Seats Note: Mounting Thickness Cannot Exceed 1-3/8"	PVD Polished Chrome	\$182.50	6
		1172-GSAELS-Q	Cast Brass Concealed Widespread Kitchen Faucet Flexible Hose Connections 6 to 24-Inches 1/2-14 NPS Female Threads Swivel Gooseneck Spout With 2.0 GPM Flow Rate 4-Inch Wrist Handles (4147) Color Coded Indexes Quick-Pression Quarter-Turn Stems Replaceable Seats Note: Mounting Thickness Cannot Exceed 1-3/8"	PVD Polished Chrome	\$177.50	6







Applicable Products Meet California AB1953 / Vermont S152 Legislation
Central Brass faucets feature aerators that meet ANSI/ASME A112.18.1 flow requirements of 2.0 GPM

	Model#	Description	Finish	Price	Case
 	81172-TSA1L1	Concealed Kitchen Faucet 6 to 24-Inch Centers 6-3/8-Inch Swivel Tri-Arc Spout With 2.0 GPM Aerator Lever Handles Ceramic Disc Cartridges Note: Mounting Thickness Cannot Exceed 1-3/8"	PVD Polished Chrome	\$243.00	6
 	81173-TSA1L1	Concealed Kitchen Faucet 6 to 24-Inch Centers 6-3/8-Inch Swivel Tri-Arc Spout With 2.0 GPM Aerator Lever Handles With Side Spray Assembly Ceramic Disc Cartridges Note: Mounting Thickness Cannot Exceed 1-3/8"	PVD Polished Chrome	\$289.50	6
	81172-TSA1C1	Concealed Kitchen Faucet 6 to 24-Inch Centers 6-3/8-Inch Swivel Tri-Arc Spout With 2.0 GPM Aerator Cross Handles Ceramic Disc Cartridges Note: Mounting Thickness Cannot Exceed 1-3/8"	PVD Polished Chrome	\$253.00	6
	81173-TSA1C1	Concealed Kitchen Faucet 6 to 24-Inch Centers 6-3/8-Inch Swivel Tri-Arc Spout With 2.0 GPM Aerator Cross Handles With Side Spray Assembly Ceramic Disc Cartridges Note: Mounting Thickness Cannot Exceed 1-3/8"	PVD Polished Chrome	\$299.50	6

Applicable Products Meet California AB1953 / Vermont S152 Legislation
 Central Brass faucets feature aerators that meet ANSI/ASME A112.18.1 flow requirements of 2.0 GPM







KITCHEN FAUCETS

KITCHEN FAUCETS

		Model#	Description	Finish	Price	Case
		0045-A	Ledge Sink Kitchen Faucet 8-Inch Centers 1/2-14 NPS Female Elbow Inlet 6-Inch Tube Spout With 2.0 GPM Flow Rate Replaceable Seats	PVD Polished Chrome	\$220.00	6
		0047-TA	Wallmount Kitchen Faucet 8-Inch Centers	PVD Polished Chrome	\$135.00	6
		80047-TA*	1/2-14 NPT Male Shank with Adjustable Flange 6-Inch Tube Spout With 2.0 GPM Flow Rate Replaceable Seats *Ceramic Disc Cartridges	PVD Polished Chrome	\$145.00	6
		0047-UA	Wallmount Kitchen Faucet 8-Inch Centers	PVD Polished Chrome	\$125.00	6
		80047-UA*	1/2-14 NPS Female Inlets 6-Inch Tube Spout With 2.0 GPM Flow Rate Replaceable Seats *Ceramic Disc Cartridges	PVD Polished Chrome	\$135.00	6
Suffix #		1	8-Inch Tube Spout with Aerator (SU-363-RA)		\$5.50	
		2	10-Inch Tube Spout with Aerator (SU-363-JA)		\$10.50	
		3	12-Inch Tube Spout with Aerators (SU-363-LA)		\$11.50	
		4	14-Inch Tube Spout with Aerators (SU-363-MA)		\$12.00	
		6	8-Inch Brass D-Spout with Aerator (SU-365-CA)		\$12.50	
		9	5-Inch Cast Brass Spout with Aerator (SU-2923-A)		\$20.40	
		GRA	4-3/32-Inch Rigid Gooseneck Spout with Aerator (SU-157-GRA)		\$10.00	
		GSA	4-3/32-Inch Swivel Gooseneck Spout with Aerator (SU-157-GSA)		\$10.00	
		KRA	5-1/2-Inch Rigid Gooseneck Spout with Aerator (SU-157-KRA)		\$33.50	
		KSA	5-1/2-Inch Swivel Gooseneck Spout with Aerator (SU-157-KSA)		\$34.00	
		H	Hose Adapter (PF-784-C)		\$1.00	
		ELS	4-Inch Wrist Handles (4147) Color-coded Indexes		\$20.00	
		EL	6-Inch Elbow Handles (4149) Color-coded Indexes		\$25.00	
		S	1/2-14 NPS Female Inlet (SU-2806) (Flanges Adjustable 6-1/2 to 9-1/2-Inch Centers)		\$10.00	
		Q	Quick-Pression Quarter-Turn Stems (SU-454)		\$1.50	
		E1.5	1.5 GPM Flow Rate (CS-49013-Male Aerator/CS-49014-Female Aerator)		\$3.50	
		E1.0	1.0 GPM Flow Rate (CS-49011-Male Aerator/CS-49012-Female Aerator)		\$4.00	
		E0.5	0.5 GPM Flow Rate (CS-49009-Male Aerator/CS-49010-Female Aerator)		\$8.50	









Applicable Products Meet California AB1953 / Vermont S152 Legislation
Central Brass faucets feature aerators that meet ANSI/ASME A112.18.1 flow requirements of 2.0 GPM

K I T C H E N F A U C E T S

		Model#	Description	Finish	Price	Case
		0046-A	Ledge Sink Kitchen Faucet 8-Inch Centers 1/2-14 NPS Female Elbow Inlet 6-Inch Tube Spout With 2.0 GPM Flow Rate Replaceable Seats Brass Soap Dish	PVD Polished Chrome	\$228.00	6
		0048-TA	Wallmount Kitchen Faucet 8-Inch Centers	PVD Polished Chrome	\$143.00	6
		80048-TA*	1/2-14 NPT Male Shank with Adjustable Flange 6-Inch Tube Spout With 2.0 GPM Flow Rate Replaceable Seats Brass Soap Dish *Ceramic Disc Cartridges	PVD Polished Chrome	\$153.00	6
		0048-UA	Wallmount Kitchen Faucet 8-Inch Centers	PVD Polished Chrome	\$133.00	6
		80048-UA*	1/2-14 NPS Female Inlets 6-Inch Tube Spout With 2.0 GPM Flow Rate Replaceable Seats Brass Soap Dish *Ceramic Disc Cartridges	PVD Polished Chrome	\$143.00	6
		Suffix #				
		1	8-Inch Tube Spout with Aerator (SU-363-RA)		\$5.50	
		2	10-Inch Tube Spout with Aerator (SU-363-JA)		\$10.50	
		3	12-Inch Tube Spout with Aerator (SU-363-LA)		\$11.50	
		4	14-Inch Tube Spout with Aerator (SU-363-MA)		\$12.00	
		6	8-Inch Brass D-Spout with Aerator (SU-365-CA)		\$12.50	
		9	5-Inch Cast Brass Spout with Aerator (SU-2923-A)		\$20.40	
		H	Hose Adapter (PF-784-C)		\$1.00	
		ELS	4-Inch Wrist Handles (4147) Color-coded Indexes		\$20.00	
		EL	6-Inch Elbow Handles (4149) Color-coded Indexes		\$25.00	
		S	1/2-14 NPS Female Inlet (SU-2806) (Flanges Adjustable 6-1/2 to 9-1/2-Inch Centers)		\$10.00	
		Q	Quick-Pression Quarter-Turn Stems (SU-454)		\$1.50	
		E1.5	1.5 GPM Flow Rate (CS-49013-Male Aerator/CS-49014-Female Aerator)		\$3.50	
		E1.0	1.0 GPM Flow Rate (CS-49011-Male Aerator/CS-49012-Female Aerator)		\$4.00	
		E0.5	0.5 GPM Flow Rate (CS-49009-Male Aerator/CS-49010-Female Aerator)		\$8.50	

Applicable Products Meet California AB1953 / Vermont S152 Legislation
Central Brass faucets feature aerators that meet ANSI/ASME A112.18.1 flow requirements of 2.0 GPM

KITCHEN FAUCETS

		Model#	Description	Finish	Price	Case
		0047-TGSAEL	Cast Brass Wallmount Kitchen Faucet 8-Inch Centers 1/2-14 NPT Male Shank 6-Inch Elbow Handles (4149) Color-coded Indexes Swivel Gooseneck Spout With 2.0 GPM Flow Rate Replaceable Seats	PVD Polished Chrome	\$170.00	6
		0047-TGSAELS	Cast Brass Wallmount Kitchen Faucet 8-Inch Centers 1/2-14 NPT Male Shank 4-Inch Wrist Handles (4147) Color-coded Indexes Swivel Gooseneck Spout With 2.0 GPM Flow Rate Replaceable Seats	PVD Polished Chrome	\$165.00	6
		0047-UGSAEL	Cast Brass Wallmount Kitchen Faucet 8-Inch Centers 1/2-14 NPS Female Inlets 6-Inch Elbow Handles (4149) Color-coded Indexes Swivel Gooseneck Spout With 2.0 GPM Flow Rate Replaceable Seats	PVD Polished Chrome	\$160.00	6
		0047-UGSAELS	Cast Brass Wallmount Kitchen Faucet 8-Inch Centers 1/2-14 NPS Female Inlets 4-Inch Wrist Handles (4147) Color-coded Indexes Swivel Gooseneck Spout With 2.0 GPM Flow Rate Replaceable Seats	PVD Polished Chrome	\$155.00	6
Suffix #		GRA	4-3/32-Inch Rigid Gooseneck Spout with Aerator (SU-157-GRA)		\$10.00	
		S	1/2-14 NPS Female Inlet (SU-2806) (Flanges Adjustable 6-1/2 to 9-1/2-Inch Centers)		\$10.00	
		Q	Quick-Pression Quarter-Turn Stems (SU-454)		\$1.50	

Applicable Products Meet California AB1953 / Vermont S152 Legislation
Central Brass faucets feature aerators that meet ANSI/ASME A112.18.1 flow requirements of 2.0 GPM

KITCHEN FAUCETS